

B Language Keywords and Operators version 1.8.9

| ASCII | Math. | Pri. | As. | Description |
|-----------|--------------------------------|------|-----|---|
| ! | \forall | 250 | | For any |
| " | | | | String or definition file delimiter |
| # | \exists | 250 | | There exists |
| \$0 | | | | Value of data before substitution |
| % | λ | 250 | | Lambda expression |
| & | \wedge | 40 | L | Conjunction (logical AND) |
| , | | 250 | L | Access to a record field |
| (| | | | Open bracket |
|) | | | | Close bracket |
| * | \times | 190 | L | Multiplication or Cartesian product |
| $x^{**}y$ | x^y | 200 | R | Power of |
| + | | 180 | L | Addition |
| +-> | \rightarrow | 125 | L | Partial function |
| +->> | $\rightarrow\!\!\!\rightarrow$ | 125 | L | Partial surjection |
| , | | 115 | L | Comma |
| - | | 180 | L | Subtraction |
| - | | 210 | | Unary minus |
| --> | \rightarrow | 125 | L | Total function |
| -->> | $\rightarrow\!\!\!\rightarrow$ | 125 | L | Surjection |
| -> | \rightarrow | 160 | L | Insert at the start of a sequence |
| . | | 220 | R | Renaming or data separator used in the operators $\forall, \exists, \cup, \cap, \Sigma, \Pi, \lambda$ |
| .. | | 170 | L | Interval |
| / | | 190 | L | Integer division |
| /: | \notin | 160 | L | Non-belonging |
| /<: | $\not\subseteq$ | 110 | L | Non-inclusion |
| /<<: | $\not\subset$ | 110 | L | Strict non-inclusion |
| /= | \neq | 160 | L | Not equal |
| /\ | \cap | 160 | L | Intersection |
| /\ \ | \uparrow | 160 | L | Restriction of a sequence to the head |
| : | \in | 60 | L | Belonging |
| : | | 120 | L | Record field |
| :: | $:=$ | | L | Becomes part of (belonging) |
| := | | | L | Becomes equal to |
| ; | | 20 | L | Sequencing for substitution or composition of relations |

| ASCII | Math. | Pri. | As. | Description |
|--------------------|---|------|-----|---|
| < | | 160 | L | Strictly lesser than, or definition file delimiter |
| <+ | \triangleleft | 160 | L | Overload a relation |
| <-> | \leftrightarrow | 125 | L | Set of relations |
| <- | \leftarrow | 160 | L | Insert at end of sequence |
| <-- | \leftarrow | | L | Operation output parameters |
| <: | \subseteq | 110 | L | Inclusion |
| <<: | \subset | 110 | L | Strict inclusion |
| << | \triangleleft | 160 | L | Subtraction to the domain |
| <= | \leq | 160 | L | Lesser than or equal to |
| <=> | \Leftrightarrow | 60 | L | Equivalence |
| < | \triangleleft | 160 | L | Restriction to the domain |
| = | | 60 | L | Equals |
| == | | | | Definition |
| => | \Rightarrow | 30 | L | Implies |
| > | | 160 | L | Strictly greater than, or definition file delimiter |
| >+> | $\rightarrow\!\!\!\rightarrow$ | 125 | L | Partial injection |
| >-> | $\rightarrow\!\!\!\rightarrow$ | 125 | L | Total injection |
| >->> | $\rightarrow\!\!\!\rightarrow\!\!\!\rightarrow$ | 125 | L | Total bijection |
| >< | \otimes | 160 | L | Direct product of relations |
| >= | \geq | 160 | L | Greater than or equal to |
| ABSTRACT_CONSTANTS | | | | ABSTRACT_CONSTANTS clause |
| ABSTRACT_VARIABLES | | | | ABSTRACT_VARIABLES clause |
| ANY | | | | ANY substitution |
| ASSERT | | | | ASSERT substitution |
| ASSERTIONS | | | | ASSERTIONS clause |
| BE | | | | LET substitution |
| BEGIN | | | | BEGIN substitution |
| BOOL | | | | Set of the Boolean values |
| CASE | | | | CASE substitution |
| CHOICE | | | | CHOICE substitution |
| CONCRETE_CONSTANTS | | | | CONCRETE_CONSTANTS clause |
| CONCRETE_VARIABLES | | | | CONCRETE_VARIABLES clause |
| CONSTANTS | | | | CONSTANTS clause |
| CONSTRAINTS | | | | CONSTRAINTS clause |

| ASCII | Math. | Pri. | As. | Description |
|------------------|-------|----------------|-----|---|
| DEFINITIONS | | | | DEFINITIONS clause |
| DO | | | | WHILE substitution |
| EITHER | | | | CASE substitution |
| ELSE | | | | IF or CASE substitution |
| ELSIF | | | | IF substitution |
| END | | | | Terminator of clauses or of substitutions BEGIN, PRE, ASSERT, CHOICE, IF, SELECT, ANY, LET, VAR, CASE and WHILE |
| EXTENDS | | | | clause EXTENDS |
| FALSE | | | | Literal Boolean constant "false" |
| FIN | | F | | Set of finite sub-sets |
| FIN1 | | \mathbb{F}_1 | | Set of finite non empty sub-sets |
| IF | | | | Substitution IF |
| IMPLEMENTATION | | | | IMPLEMENTATION clause |
| IMPORTS | | | | IMPORTS clause |
| IN | | | | BE or VAR substitution |
| INCLUDES | | | | INCLUDES clause |
| INITIALISATION | | | | INITIALISATION clause |
| INT | | | | Set of implementable relative integers |
| INTEGER | | \mathbb{Z} | | Set of relative integers |
| INTER | | \cap | | Quantified intersection |
| INVARIANT | | | | INVARIANT clause or WHILE substitution |
| LET | | | | LET substitution |
| LOCAL_OPERATIONS | | | | LOCAL_OPERATIONS clause |
| MACHINE | | | | MACHINE clause |
| MAXINT | | | | Largest implementable integer |
| MININT | | | | Smallest implementable integer |
| NAT | | | | Set of implementable natural integers |
| NAT1 | | \mathbb{N}_1 | | Set of non-empty implementable natural integers |
| NATURAL | | \mathbb{N} | | Set of natural integers |
| NATURAL1 | | \mathbb{N}_1 | | Set of non-empty natural integers |
| OF | | | | CASE substitution |
| OPERATIONS | | | | OPERATIONS clause |

B Language Keywords and Operators version 1.8.9

| ASCII | Math. | Pri. | As. | Description |
|------------|----------------|------|-----|--|
| OR | | | | CHOICE or CASE substitution |
| PI | Π | | | Quantified integer product |
| POW | \mathbb{P} | | | Set of sub-sets |
| POW1 | \mathbb{P}_1 | | | Set of non-empty sub-sets |
| PRE | | | | Precondition substitution |
| PROMOTES | | | | PROMOTES clause |
| PROPERTIES | | | | PROPERTIES clause |
| REFINES | | | | REFINES clause |
| REFINEMENT | | | | REFINEMENT clause |
| SEES | | | | SEES clause |
| SELECT | | | | Substitution SELECT |
| SETS | | | | SETS clause |
| SIGMA | Σ | | | Quantified product |
| STRING | | | | Set of character strings |
| THEN | | | | Precondition substitution, ASSERT, IF or CASE |
| TRUE | | | | Literal Boolean constant "true" |
| UNION | \cup | | | Quantified union |
| USES | | | | USES clause |
| VALUES | | | | VALUES clause |
| VAR | | | | VAR substitution |
| VARIANT | | | | WHILE substitution |
| VARIABLES | | | | VARIABLES clause |
| WHEN | | | | SELECT substitution |
| WHERE | | | | ANY substitution |
| WHILE | | | | WHILE substitution |
| [| | | | Image, or start of sequence |
| [] | | | | Empty sequence |
| \/ | \cup | 160 | L | Union |
| \ / | \downarrow | 160 | L | Restrict a sequence to the end |
|] | | | | Image, or end of sequence |
| ^ | \wedge | 160 | L | Concatenate sequences |
| arity | | | | Tree node arity |
| bin | | | | Binary tree in extension |
| bool | | | | Predicate boolean cast |
| btree | | | | Binary trees |

| ASCII | Math. | Pri. | As. | Description |
|-------------------|-------------------|------|-----|---|
| card | | | | Cardinal |
| ceiling | | | | Ceiling function |
| closure(R) | R^* | | | Reflexive closure of a relation |
| closure1(R) | R^+ | | | Closure of a relation |
| conc | | | | Concatenation of a succession |
| const | | | | Tree constructor |
| dom | | | | Domain of a function |
| father | | | | Father of a tree node |
| first | | | | First element in a sequence |
| floor | | | | Floor function |
| fnc | | | | Transformed into a function |
| front | | | | Front of a sequence |
| id | | | | Function identity |
| infix | | | | Infix formulae of a tree |
| inter | | | | General intersection |
| iseq | | | | Set of injective sequences |
| iseql | iseq ₁ | | | Set of injective non-empty sequences |
| iterate(R, n) | R^n | | | Iteration of a relation |
| last | | | | Last element in a sequence |
| left | | | | Left tree |
| max | | | | Maximum in a set of integers |
| min | | | | Minimum in a set of integers |
| mirror | | | | Mirror of a tree |
| mod | | 190 | L | Modulo |
| not | \neg | | | Logical not |
| or | \vee | 40 | L | Disjunction (logical OR) |
| perm | | | | Set of permutations (bijective sequences) |
| postfix | | | | Postfix formulae of a tree |
| pred | | | | Predecessor of an integer |
| prefix | | | | Prefix formulae of a tree |
| prj1 | prj ₁ | | | First projection of a relation |
| prj2 | prj ₂ | | | Second projection of a relation |
| ran | | | | Range of a relation |
| rank | | | | Rank of a tree node |

| ASCII | Math. | Pri. | As. | Description | |
|---------|--------------------------------|------|-----|---------------------------------|--|
| real | | | | Conversion from integer to real | |
| rec | | | | Record in extension | |
| rel | | | | Relation transform | |
| rev | | | | Reverse of a sequence | |
| right | | | | Right tree | |
| seq | | | | Set of sequences | |
| seq1 | | | | Set of non-empty sequences | |
| size | | | | Size of a sequence | |
| sizet | | | | Size of a tree | |
| skip | | | | Null substitution | |
| son | | | | i^{th} son of a tree | |
| sons | | | | Sons of a tree node | |
| struct | | | | Set of records | |
| subtree | | | | Subtree of a tree | |
| succ | | | | Successor | |
| tail | | | | Tail of a sequence | |
| top | | | | Top of a tree | |
| tree | | | | Trees | |
| union | | | | Generalized union | |
| { | | | | Start of set | |
| {} | \emptyset | | | Empty set | |
| | | | 10 | L | Vertical bar used in $\forall, \exists, \cup, \cap, \Sigma, \Pi, \lambda, \{ \}$ |
| -> | \mapsto | 160 | L | Maplet | |
| > | \triangleright | 160 | L | Restriction to the range | |
| >> | $\triangleright\triangleright$ | 160 | L | Subtraction to the range | |
| | | | 20 | L | Simultaneous substitutions, or parallel product of relations |
| } | | | | End of set | |
| r~ | r^{-1} | 230 | L | Reverse relation | |